

ENT \$

In re Patent of:

Examiner: K. Brown

Group Art Unit: 2877

February 17, 2005

February 17, 2005

Certificate

FEB 25 2005

of Correction

Sir:

Patentees request that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes and mistakes of a minor nature which are not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

01 FC:1811


100.00 GP

MAR 02 2005

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction. Any additional fee required by this paper may be charged to Deposit Account No. 06-1205. A duplicate of this paper is enclosed for that purpose.

Patentees' undersigned attorney may be reached in our Washington, D.C. Office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below-listed address.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Steven E. Warner", written over a horizontal line.

Attorney for Patentees
Steven E. Warner
Registration No. 33,326

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
SEW/eab

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,829,034 B2

DATED : December 7, 2004

INVENTOR(S): Yoshinori MIWA et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE COVER PAGE:

In item "(56) **References Cited**," "OTHER PUBLICATIONS" should be deleted and under "OTHER PUBLICATIONS," "U.S. patent application Ser. No. 09/145,983, filed Sept. 3, 1998." should be deleted.

COLUMN 4:

Line 5, "of fluoride" should read -- of calcium fluoride --.

COLUMN 5:

Line 7, "Air-filter)" should read -- Air filter) --.


MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

FORM PTO 1050 (REV. 3.82)

PATENT NO. 6,829,034 B2

No. of add'l. copies
@ 30¢ per page



MAR 02 2005

**Staple
Here
Only!**

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,829,034 B2

DATED : December 7, 2004

INVENTOR(S): Yoshinori MIWA et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8:

Line 60, "form" should read -- from --.

COLUMN 11:

Line 31, "highhumidity" should read -- high-humidity --.

COLUMN 12:

Line 17, "1002" should read -- 102 --.

COLUMN 22:

Line 60, "other" should read -- other, --.

COLUMN 24:

Line 51, "direction-orthogonal" should read -- direction orthogonal --.

MAILING ADDRESS OF SENDER:

PATENT NO. 6,829,034 B2

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

No. of add'l. copies
@ 30¢ per page

FORM PTO 1050 (REV. 3.82)

➡ _____